










TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss	Matsushita	
Typ/Type		NLE9K	DA 110 E	
Förderleistung/Delivery/Débit		l/h	1503	
Anlaufstrom/Starting current/Cour. de démarrage		A	—	
Widerstand/Resistance/Résistance		Ha/main/prin.	Ω	14,9
		Hi/aux	Ω	17,9
Temp.-Regler/Thermostat				
Typ/Type				
Reglerstellung/Position				
Schaltwerte/Switching values/		„ein“	°C	
Valeurs de commutation		„aus“		
		(„abtauen“ od.) „alarm“		
Füllmenge/Fill.quantity/Charge		R600a	g	64
Anschlußwert/Conn.load/Puiss. connectée		W	90	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Resistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		

Pos.	V01	V02	
	Danfoss	Matsushita	
	NLE9K	DA 110 E	
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			