







07 4445




Gebrauchsanweisung
52 2548
(DE,EN,FR,IT,NL)

Montageanleitung
52 2494
(DE,EN,FR,IT,NL,DA,
NO,FI,SE,TR)

Beistellsatz
48 1531





	V01	V02	
Pos.	Aspera	Danfoss	
	BPK 1084Y	TLY 7KK2	
1	14 2101	14 2059	
2			
3	18 0819	15 1055	
4			
5	17 0882	15 0760	
6	17 0881	15 1072	
7	16 9319	16 9319	
8	26 4879	26 4879	
9	050166	0 50166	
10			
11	36 5099	36 5099	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES			
Verdichter/Compressor/Compresseur	Aspera	Danfoss	
Typ/Type	BPK 1084Y	TLY7KK2	
Förderleistung/Delivery/Débit	l/h	1201	1168
Anlaufstrom/Starting current/Cour de démarrage	A	3,6	5,7
Widerstand/Resistance/Résistance	W	29,6	27,1
Hi/main/prin	W	39,1	27,2
Hi/aux			
Temp.–Regler/Thermostat	Ranco		
Typ/Type	K59		
Regelstellung/Position	kalt	warm	
Schaltwerte/Switching values	"warm"	+4,0	+4,0
Valeurs de commutation	"kalt"	–32,0	–12,0
"alarm"			
Füllmenge/Fill.quantity/Charge	R600a	*	
Anschlußwert/Conn.load/Puiss. connectée	W	79	71
Heizung/Heater/Chauffage			
Widerstand/Resistance/Résistance	W		
Leistung/Power/Puissance	W		
Ventilator/Blower/Ventilateur			
Widerstand/Resistance/Résistance	W		
Temp.–Regler/Thermostat			
Magnetventil/Magnetic valve/Electrovanne			
Widerstand/Resistance/Résistance	W		
Spannung/Voltage/Tension	V		

* siehe Typenschild