


**BOSCH**

KIV2831/01-EU1
KIV28311/01-CH1
KIV28315/01-F1

KIV28318/01-E1

KÜHLGERÄTE
Kühlschränke, Einbau

Ident-Nummern-Konstante
3740



51 2705
Gebrauchsanweisung
(D,GB,F,I,NL,E)

51 2329
Montageanleitung
(D,GB,F,I,NL,N,S,E)

08 4136
Schraubensatz

08 5059
Befestigungssatz


**BOSCH**

KIV2831/01-EU1
KIV28311/01-CH1
KIV28315/01-F1

KIV28318/01-E1

KÜHLGERÄTE
Kühlschränke, Einbau

Ident-Nummern-Konstante
3740



- 1) 02 2437
- 2) 02 6566
- 3) 08 5089
- 4) 08 5645
- 5) 02 7492
- 6) 08 4592
- 7) 08 5646


**BOSCH**

KIV2831/01-EU1
KIV28311/01-CH1
KIV28315/01-F1

KIV28318/01-E1

KÜHLGERÄTE
Kühlschränke, Einbau

Ident-Nummern-Konstante
3740



Pos.	EU1,CH1,F1,E1		
	Aspera BY 1116 A		
1	14 0405		
2	02 6559		
3	02 2342		
4	05 1748		
5			
6	05 1746		
7	02 2339		
8	11 1838		
9	05 0166		
10			
11	08 5091		
12	05 6008		

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Aspera		
Typ/Type		BY 1116 A		
Förderleistung/Delivery/Débit	l/h	1450		
Anlaufstrom/Starting current/Cour. de démarrage	A	9,9		
Widerstand/Resistance/Résistance	Ha/main/prin.	Ω	11,7	
	Hi/aux	Ω	37,7	
Temp.-Regler/Thermostat		Ranco		
Typ/Type		K 59		
Reglerstellung/Position		kalt	warm	
Schaltwerte/Switching values/	„ein“	+ 4,5	+ 4,5	
Valeurs de commutation	„aus“	- 31,0	- 13,5	
	(„abtauen“ od.)	„alarm“		
Füllmenge/Fill.quantity/Charge	R12	g	180	
Anschlußwert/Conn.load/Puiss. connectée		W	150	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
		W		
Leistung/Power/Puissance				
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		