







Gebrauchsanweisung
(D,GB,F,I,NL,S,SF,N,
P) 52 0348

1) 16 6508 V01
2) 06 0637

Zubehoer:
Dekorrahmen
Weiss Z 4100 W2
Braun Z 4100 B2





TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS

Verdichter/Compressor/Compresseur/Compresor		DANFOSS	
Typ/Type/Tipo		TL4F	
Förderleistung/Delivery/Debit/Aspiración l/h		695	
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		3,2	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		17,1	
Hi/aux.		26,7	
Temp.Reyler/Thermostat/Termostato		DANFOSS	
Typ/Type/Tipo		077B4005	
Reglerstellung/Position/Conexión		MIN MAX.	
Schaltwerte/Switching values/		-1,5° -10,5°	
Valeurs de commutation/Desconex.		-22,5°	
(..abtaven' od)		..alarm'	
Füllmenge/Fill. quantity/Charge/Carga R134a		g	40
Anschlusswert/Comm. load/Puiss. Connect./Potenc.		W	90
Heizung/Heater/Chauflage/Resistenc.descong.			
Widerstand/Resistance/Resistencia		Ohm	
Leistung/Power/Puissance/Potencia		W	
Ventilador/Blower/Ventilateur/Ventilador			
Widerstand/Resistance/Resistencia		Ohm	
Magnetventil/Magnetic valve/Electrovanne/Electrovalvula			
Widerstand/Resistance/Resistencia		Ohm	
Spannung/Voltage/Tension/Tensión		V	