







07 4445




Mat. - Nr. - Konstante
3740

Gebrauchsanweisung
52 6155
(DE, EN, FR, IT, NL, ES)


Montageanleitung
52 6152
(DE, EN, FR, IT, NL, SE, ES
NO)

Befestigungssatz
26 8450

Listerien Rep. Satz
41 7589
V02



Mat. – Nr. – Konstante
3740



Pos.	V01, V02		
	Danfoss		
	NLE 15 K		
1	14 1752		
2			
3	15 1055		
4			
5	15 0760		
6	15 1072		
7			
8	28 1825		
9	05 0166		
10			
11	08 4744		
12	05 6008		

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		NLE 15 K		
Förderleistung/Delivery/Débit	l/h	2637		
Anlaufstrom/Starting current/Cour. de démarrage	A			
Widerstand/Resistance/Résistance	Ha/main/prin. Ω			
	Hi/aux Ω			
Temp.-Regler/Thermostat		Ranco		
Typ/Type		K59		
Reglerstellung/Position		kalt	warm	
Schaltwerte/Switching values/	„ein“ $^{\circ}\text{C}$	+4,5	+4,5	
Valeurs de commutation	„aus“	-31,0	13,5	
	(„abtauen“ od.) „alarm“			
Füllmenge/Fill.quantity/Charge	R600a	g	50	
Anschlußwert/Conn.load/Puiss. connectée		W	150	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Resistance	Ω			
Leistung/Power/Puissance	W			
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance	Ω			
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance	Ω			
Spannung/Voltage/Tension	V			