






Gebrauchsanweisung

52 2548
(D,GB,F,I,NL)

Montageanleitung
52 1893
(D,GB,F,I,NL,DK,N,SF,
SE,TR)

Beistellsatz
26 5161





	V01	V02	
Pos.	Aspera BPK 1084Y	Danfoss TLY 7KK2	
1	14 2101	14 2059	
2			
3	18 0819	15 1055	
4			
5	17 0882	15 0760	
6	17 0881	15 1072	
7	16 9319	16 9319	
8	26 4879	26 4879	
9	05 0166	0 50166	
10			
11	36 5099	36 5099	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Aspera	Danfoss	
Typ/Type		BPK 1084Y	TLY7KK2	
Förderleistung/Delivery/Débit		l/h	1201	1168
Anlaufstrom/Starting current/Cour de démarrage		A	3,6	5,7
Widerstand/Resistance/Résistance Ha/main/prin		W	29,6	27,1
Hi/aux		W	39,1	27,2
Temp.-Regler/Thermostat		KER		
Typ/Type		RCO		
Regelstellung/Position		kalt	warm	
Schaltwerte/Switching values		"warm"		
Valeurs de commutation		"kalt"	+5,2	+5,2
		"alarm"	-32,0	-15,
			0	
Füllmenge/Fill.quantity/Charge		R600a	*	*
Anschlußwert/Conn.load/Puiss. connectée		W	79	71
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		W		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		W		
Temp.-Regler/Thermostat				
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		W		
Spannung/Voltage/Tension		V		

* siehe Typenschild