






51 2721
Gebrauchsanweisung
(D,GB,F,I,NL,E)

51 5436
Montageanleitung
(D,GB,F,I,NL,N,S,E)

08 4136
Schraubensatz

08 8957
Befestigungssatz





TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES					
Verdichter/Compressor/Compresseur			Matsushita		
Typ/Type			D116LRAA		
Forderleistung/Delivery/Débit			l/h	1184	
Anlaufstrom/Starting current/Cour. de démarrage			A	8,75	
Widerstand/Resistance/Résistance			Ha/main/prin.	Ω	12,0
			Hi/aux	Ω	28,7
Temp.-Regler/Thermostat			Ranco		
Typ/Type			K 59		
Reglerstellung/Position			kalt warm		
Schaltwerte/Switching values/			„ein“	°C	+ 4,5 + 4,5
Valeurs de commutation			„aus“		- 31,0 - 13,5
(„abtauen“ od.)			„alarm“		
Fullmenge/Fill.quantity/Charge			R12	g	180
Anschlußwert/Conn.load/Puiss. connectée			W	150	
Heizung/Heater/Chauffage					
Widerstand/Resistance/Résistance			Ω		
Leistung/Power/Puissance			W		
Ventilator/Blower/Ventilateur					
Widerstand/Resistance/Résistance			Ω		
Magnetventil/Magnetic valve/Electrovanne					
Widerstand/Resistance/Résistance			Ω		
Spannung/Voltage/Tension			V		

Pos.	Matsushita		
	D116LRAA		
1	14 0563		
2	05 8506		
3			
4			
5			
6	05 8458		
7	02 6731		
8	28 1825		
9	05 0166		
10	05 9467		
11	08 5182		
12	05 6008		