 dal 1979 detergenti professionali	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 1/10
	545 – ECODECALK NEW	

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 545
Product name: EcoDecalk New

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: DESCALER FOR COFFEE MACHINES

1.3. Details of the supplier of the safety data sheet

Name: Italchimes s.r.l.
Full address: via Bottenigo, 139
District and Country: 30175 Marghera (VE)
ITALIA
Phone: +39 041 932853 (08:00/12:00 - 13:00/17:00)
Fax: +39 041 929929

e-mail address of the competent person
responsible for the Safety Data Sheet
Product distribution by

info@italchimes.it
Italchimes srl - www.italchimes.it

1.4. Emergency telephone number

For urgent inquiries refer to: Centro Antiveleni di Firenze 24h/24h - tel. 055 7947819 (CAV Ospedale Careggi - Firenze)

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.


The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

Eye Dam. 1	H318	Causes serious eye damage
Skin Irrit. 2	H315	Causes skin irritation

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 2/10
	545 – ECODECALK NEW	

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.
H315 Causes skin irritation.

Precautionary statements:

P102 Keep out of the reach of children.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P310 Immediately contact a POISON CENTER or a doctor.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents / container according with local regulation.

Contains: LACTIC ACID

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1 Substances


Information not relevant

3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
LACTIC ACID		
CAS. 79-33-4	30 - 50	Eye Dam. 1 H318, Skin Irrit. 2 H315
EC. 201-196-2		
Reach No. 01-2119474164-39-0000.		

-

	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 3/10
	545 – ECODECALK NEW	

Note: Upper limit is not included into the range.
The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

General information: get medical advice, showing the doctor this safety data sheet.

4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

EYES: Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Immediately seek medical advice.
SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.
INHALATION: Remove victim to open air. In the event of breathing difficulties, get medical advice/attention immediately.
INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorized by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.
For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Follow your doctor's instructions.

SECTION 5. Firefighting measures.

The product is neither flammable nor combustible. In the event of fire use extinguishing equipment suitable to the surroundings.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.


HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for

	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 4/10
	545 – ECODECALK NEW	

extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

6.1.1. For those not directly involved: keep back from the place where the release has occurred and wait for intervention of those involved in the emergency procedures, so that the area can be made safe.

6.1.2. For those directly involved in the emergency procedures: wear suitable protection equipment (including the personal protection equipment given in section 8) so as to avoid contamination of skin, eyes and professional equipment.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Avoid contact with eyes and skin. Do not inhale vapors.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.


7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

 dal 1979 detergenti professionali	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 5/10
	545 – ECODECALK NEW	

8.1. Control parameters.

Lactic Acid. DNEL not definable.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below.

HAND PROTECTION

Protect hands with category II (ref. standard EN 374) work gloves, such as those in PVC, neoprene, nitril or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

EYE PROTECTION

Wear hood visor or protective visor together with airtight goggles (ref. standard EN 166). An emergency eye washing and shower system must be provided.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN ISO 20344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an B or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 14387).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.


ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	liquid
Colour	colourless
Odour	characteristic
Odour threshold.	Not available.
pH.	2,5 ÷ 2,8
Melting point / freezing point.	Not available.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	> 60 °C.
Evaporation Rate	Not available.
Flammability of solids and gases	Not available as the product is liquid. [refer to guideline "Endpoint specific guidance R.7.1.10 Flammability Version 2.4 – February 2014"]
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.

 dal 1979 detergenti professionali	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 6/10
	545 – ECODECALK NEW	

Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	~1,01 Kg/l
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information.

VOC (Directive 1999/13/EC) :	0
VOC (volatile carbon) :	0

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use. Avoid contact with strong bases or strong oxidizing agents.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Strong oxidizing agents.


10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual

 dal 1979 detergenti professionali	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 7/10
	545 – ECODECALK NEW	

hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.
This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.
Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin. Vapour inhalation may slightly irritate the upper respiratory tract. Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

a) Acute toxicity;

Data referring to the dangerous components:

LACTIC ACID

LD50 (Oral): 3730 mg/Kg acute-mouse.

LD50 (Dermal) > 2000 mg/Kg acute/rabbit.

b) Corrosiveness/Irritation

According to the calculations made and to the known data regarding similar substances or components, the product causes skin irritation.

c) Serious eye damage/eye irritation

According to the calculations made and to the known data regarding similar substances or components, the product causes serious eye damage

d) Respiratory or skin sensitization;

According to the calculations made and to the known data regarding similar substances or components, the product does not cause sensitization.

e) Mutagenicity

According to the calculations made and to the known data regarding similar substances or components, the product does not cause mutagenicity.

f) Cancerousness

According to the calculations made and to the known data regarding similar substances or components, the product is not cancerous.

g) Toxicity for reproduction

According to the calculations made and to the known data regarding similar substances or components, the product is not toxic for reproduction.

h) Specific toxicity for target organs (STOT) – single exposure

According to the calculations made and to the known data regarding similar substances or components, the product is not classified in this class of hazard.

i) Specific toxicity for target organs (STOT) – repeated exposure

According to the calculations made and to the known data regarding similar substances or components, the product is not classified in this class of hazard.

j) Aspiration hazard

The product is not classified in this class of hazard.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

LACTIC ACID

LC50 Brachydanio rerio (fish) (96h) : 320 mg/l

LD50 Daphnia Magna (48 h) : 240 mg/l.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.


Lactic acid distributes mostly in water compartment.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

 dal 1979 detergenti professionali	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 8/10
	545 – ECODECALK NEW	

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable

14.2. UN proper shipping name.

Not applicable

14.3. Transport hazard classes.

Not applicable

14.4. Packing group.

Not applicable

III

14.5. Environmental hazards.

Not applicable


14.6. Special precautions for user.

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 9/10
	545 – ECODECALK NEW	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.
Point. 3

Substances in Candidate List (Art. 59 REACH).
None.

Substances subject to authorisation (Annex XIV REACH).
None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None.

Substances subject to the Rotterdam Convention:
None.

Substances subject to the Stockholm Convention:
None.

Healthcare controls.

Workers exposed to this chemical agent must undergo health checks, carried out according to the directives of Art. 41 of D. Lgs. No. 81 dd. 09 April 2008, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 224/2 directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture. A chemical safety assessment has been performed with regard to the dangerous substances it contains.


SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
H318	Causes serious eye damage.
H315	Causes skin irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESI (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods

	Italchimes s.r.l.	Revision no. 5 Dated 05/10/2015 Printed on 05/10/2015 Page No. 10/10
	545 – ECODECALK NEW	

- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as Reach Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.
- WGK: Water hazard classes (German)

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 453/2010 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- Niosh – Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:
01/ 03/ 04/ 06/ 07.