






Kullanma kilavuzu
58 6746

(TR)

- 1) 16 5552
- 2) 17 1303
V01,V02
42 1601
V03,V04,V05,V06
V07
- 3) 17 1303
V01,V02
42 1602
V03,V04,V05,V06
V07
- 4) 18 9089
V01,V02
42 1516
V03,V04,V05,V06
V07
- 5) 26 8654
V01,V02,V03,V04
V05,V06
49 2262
V07



- 1) 35 4789
- 2) 49 0669
- 3) 49 0670
- 4) 36 1473
- 5) 36 1475
- 6) 35 4780
- 7) 17 1321



Pos.	Danfoss		
	NLE15KTK2		
1	14 2207		
2	16 5570		
3	35 4583		
4	16 3427		
5	26 5327		
6	17 1318		
7	17 1519		
8	18 1014		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER

Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux.	A Ω Ω	Danfoss NLE15KTK2 .2		
Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Actua kapama degerleri Valeurs de commutation/Termostat degeri (..abtaven' od)	 ..ein/acma °C ..aus"/kapama ..alarm'	Danfoss +4.5 +4.5 -31 -18		
Füllmenge/Fill. quantity/ Dolum miktarı	R600a	g g		
Anschlusswert/Comm. load/Giris gucu	W			
Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc	Ω W			
Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans	Ω			
Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim	Ω V			
Temp.Reyler/Thermostat/Termostat				

* Siehe Typenschild/Mamul etiketine bakınız