







| TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BILGILER | | | |
|--|--|---------------------------------|----|
| Verdichter/Compressor/Kompresör Typ/Type/Tip Förderleistung/Delivery/Verim/h Anlaufstrom/Starting current/Giris akimi Widerstand/Resistance/Rezistans Ha/ Hi/aux. | A Ohm | Matsushit DA110E | |
| Temp.Reyler/Thermostat/Termostat Typ/Type/Tip Reglerstellung/Position/Termostat pozisyonu Schaltwerte/Acma kapama degerleri Valeurs de commutation/Termostat degeri (..abtaven' od) | ..ein/acma °C ..aus"/kapama ..alarm' | Danfoss +4.5 +4.5 -31 -18 | |
| Füllmenge/Fill. quantity/ Dolum miktari | R600a | g | 72 |
| Anschlusswert/Comm. load/Giris gucu | | W | * |
| Heizung/Heater/Rezistans Widerstand/Resistance/Direnc Leistung/Power/Guc | | Ohm W | |
| Ventilador/Blower/Vantilatör Widerstand/Resistance/Rezistans | | Ohm | |
| Magnetventil/Magnetic valve/Manyetik valf Widerstand/Resistance/Rezistans Spannung/Voltage/Gerilim | | Ohm V | |
| Temp.Reyler/Thermostat/Termostat | | | |

* Siehe Typenschild/Mamul et ketine bakiniz