




Libro de instrucciones
51 6718
(E,P,GB,F,NL,GR)







Pos.	KÜHLGERÄTE
	MATSUSHITA
1	D91C18RA
2	14 1289
3	15 0603
4	
5	
6	
7	
8	28 8253
9	05 0166
10	
11	09 3771
12	
13	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS		
Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo		MATSUSH. D91C18RA
Förderleistung/Delivery/Debit/Aspiración l/h		10,89
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		8,53
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		21,10
Hi/aux.		
Temp.Reyler/Thermostat/Termostato doble bulbo Typ/Type/Tipo		RANCO K52-L1561
Reglerstellung/Position/Conexión		MAX-MIN
Schaltwerte/Switching values/		+5°
Valeurs de commutation/Desconex.		-21,5° -31°
(..abtaven' od)		
Füllmenge/Fill. quantity/Charge/Carga 134a		g
Anschlußwert/Comm. load/puiss. Connect./Potenc.		W
Heizung/Heater/Chaufrage/Resistenc.descong.		
Widerstand/Resistance/Resistencia		Ohm
Leistung/Power/Puissance/Potencia		W
Ventilator/Blower/Ventilateur/Ventilador		
Widerstand/Resistance/Resistencia		Ohm
Magnetventil/Magnetic valve/Electrovanne/Electrovalvula		
Widerstand/Resistance/Resistencia		Ohm
Spannung/Volare/Tension/Tensión		V
Temp.Reyler/Thermostat/Termostato ambiente para ventilador refrigerador		+23°+3