






Libro de instrucciones
51 5460
(E, GB, P, F, D)

- 1) 03 1989
- 2) 03 1987
- 3) 03 1988
- 4) 03 5731
- 5) 03 3055
- 6) 06 6770





Pos.	REFRIGERAD.	CONGELADOR	
	MATSUSHITA SO75LKAA	MATSUSHITA SO75LKAA	
1	14 0582	14 0582	
2/3	06 4055	06 4055	
4			
5			
6			
7			
8	28 0162		
9	06 4260		
10			
11	08 8868		
12			
13	06 4259		

TECHNISCHE DATEN/ TECHNICAL DATA/ DONNE ES TECHNIQUES/ DATOS TECNICOS

Verdichter/ Compressor/ Compresseur/ Compresor	Matsushita	Matsushita
Typ/ Type/ Tipo	SO75LKAA	SO75LKAA
Förderleistung/ Delivery/ Debit/ Aspiración	l/h	641
Anlaufstrom/ Starting current/ Cour. démarrage/ Int. arranque	A	5,69
Widerstand/ Resistance/ Resistencia. Hi/main/prin.	Ohm	24,4
	Ohm	39,8

Temp. Reyler/ Thermostat/ Termostato	Atea	Atea
Typ/ Type/ Tipo	Manual	Manual
Reglerstellung/ Position/ Conexión	+ 6 °	- 19 °
Schaltwerte/ Switching values/ ..ein"/conex. °C	- 13 °	- 25 °
Valeurs de commutation/ Desconex. ..aus"/descon. ..alarm"	- 28 °	- 35 °

Füllmenge/ Fill. quantity/ Charge/ Carga	R12	g	70	145
--	-----	---	----	-----

Anschlußwert/ Comm. load/ Puiss. Connect./ Potenc.	W	91	91
--	---	----	----

Heizung/ Heater/Chauflage/ Resistenc. descongel.		
Widerstand/ Resistance/ Resistencia	Ohm	
Leistung/ Power/ Puissance/ Potencia	W	

Ventilator/ Blower/ Ventilateur/ Ventilador		
Widerstand/ Resistance/ Resistencia del ventilador	Ohm	

Magnetventil/ Magnetic valve/ Electrovanne/ Electrovalvula		
Widerstand/ Resistance/ Resistencia	Ohm	
Spannung/ Voltare/ Tension/ Tensión	V	

Temp. Reyler/ Thermostat/ Termostato ambiente para ventilador refrigerador.		
---	--	--